



FOR IMMEDIATE RELEASE

CONTACT: Russell Marchetta
Gestetner
(973) 882-2075
russell.marchetta@Ricoh-usa.com

Josh Green
Bratskeir & Company
(212) 679-2233
jgreen@bratskeir.com

**GESTETNER INTRODUCES FIRST MFP WITH GELSPRINTER™
TECHNOLOGY**

Gestetner GS 106 Offers High Quality, Affordable Color Capabilities

West Caldwell, NJ, July 27, 2006 – Gestetner, a leading provider of digital office equipment, today introduced the Gestetner GS 106, its first color multifunctional system equipped with GelSprinter™ technology. A cost-effective business application product and entry-level color device, the Gestetner GS 106 is the ultimate color solution for any small business or workgroup that desires the document management capabilities of its larger counterparts.

The Gestetner GS 106 is an exceptional choice for small work environments seeking to optimize space, maintain costs and keep up with the competition. Combining power with value, the GS 106 offers copying, printing, scanning and optional facsimile features in a single device, as well as networking capabilities that help establish proficient document workflow and enable users to work more effectively. Moreover, printing at up to 15 pages per minute (ppm) in black and white and up to six ppm in color, the Gestetner GS 106 also provides a wide range of print layouts that allow smaller workgroups to create professional documents with custom logos, watermarks and more. Additionally, the GelSprinter™ technology, which employs fast-drying viscous ink, produces black and white and color prints on plain paper, bringing affordable color to the most budget conscious organizations.

The ability to reduce distribution expenditures is yet another cost saving feature of the Gestetner GS 106. Hardcopies can be scanned at 600 dots per inch (dpi) in various formats – TIFF, PDF or JPEG – and then shared with both internal and external contacts via Scan-to-Email and Scan-to-Folder. End users can lookup addresses in real time with the Gestetner GS 106's LDAP functionality. The fax option enables the system to utilize a 33.6 Kbps modem, Internet, LAN and IP-Fax functionality.

Individual long-life ink cartridges, color mode controls and optional duplex copying and printing are additional features that help maintain the Gestetner GS 106's affordable total cost of ownership. Further increasing work flow efficiency, the Gestetner GS 106 is equipped with PDF Direct Print as well as its Refined Print Command Stream (RCPS™) driver, which allows users to save custom print settings for common jobs under individual icons and perform those jobs with a simple click of the mouse.

Providing an effective security solution for organizations of any size, the Gestetner GS 106 utilizes enhanced security features including user codes, authentication, encryption, unauthorized copy control, hold print and more. The optional DataOverwriteSecurity System (DOSS) enables the device to overwrite latent data on the system's hard drive after copy, scan, fax and print jobs. Gestetner's DOSS security feature has been ISO 15408 certified to provide independent third party verification that the security feature operates as intended.

The control panel includes a tilt down feature to provide comfort for anyone to use standing or sitting. An optional accessibility handle enables easier and more comfortable access to paper trays. A comprehensive multifunctional solution, the Gestetner GS 106 comes standard with a 250-sheet paper tray, as well as a 100-sheet Bypass tray and 1-sheet Bypass tray that can handle paper sizes up to 12" x 18". Up to two optional 500-sheet paper trays are also available, making the maximum paper capacity 1,351-sheets. Increasing device maintenance efficiency, Gestetner's desktop management solutions Web Image Monitor and WebSmartDeviceMonitor™ as well as @Remote, its Intelligent Remote Management System, are also available with the device.

The Gestetner GS 106 is now available at the suggested retail price of \$3,880.00.

For further information, please visit www.gestetnerusa.com.

About Gestetner

Gestetner's broad line of award winning network-ready digital output systems – including full color and black-and-white digital imaging systems, color and black-and-white network laser printers, and fax machines – delivers document output solutions for businesses of all sizes. A nationwide network of dealers markets Gestetner document management systems. Gestetner is a brand of West Caldwell, NJ-based Ricoh Corporation. For more information, visit www.gestetnerusa.com.

#

All referenced product names are the trademarks of their respective companies.

Gestetner GS 106 Specifications

Configuration	Console
Printing Process	On Demand Piezo Ink Jet System; Pigment-based ink
System Memory (std./max.)	384 MB / 640 MB
Hard Disk Drive	40 GB (optional)
Document Feeder	Optional 30-sheet ADF Optional 50-sheet ADF
Resolution	600 x 600 dpi
Dimensions (wxdxh)	21.6" x 28.7" x 19.1"
Weight	109.13 lbs
Warm-up Time	60 seconds
Standard Paper Capacity	1 x 250-sheet Paper tray 1 x 100-sheet Bypass tray 1 x 1-sheet Bypass tray
Optional Paper Capacity	1 x 500-sheet Paper tray 2 x 500-sheet Paper trays
Acceptable Paper Sizes	Paper trays: 5.5" x 8.5" to 11" x 17" Bypass paper trays: 5.5" x 8.5" to 12" x 18"
Acceptable Paper Weight	Paper trays: 16-28 lb Bond 100-sheet Bypass tray: 16-43 lb Bond 1-sheet Bypass tray: 16-55 lb Bond
Copier Specifications	
Copy Speeds*	Up to 15 cpm Black & White Up to 6 cpm Full Color
First Copy Speeds	Less than 9.7 seconds Black & White Less than 24 seconds Full Color

Printer Specifications	
Print Speeds*	Up to 15 ppm Black & White Up to 6 ppm Full Color
CPU	RM5231A, 400MHz
Network Operating System	Windows95/98SE/NT4.0/2000/Me/XP/Server 2003, Netware Unix: Sun Solaris, HP-UX, SCO OpenServer, RedHat Linux, IBM AIX Mac OS
Network Protocols	TCP/IP, IPX/SPX, SMB, AppleTalk (auto switching)
Standard Interfaces	10/BaseT/100BaseTX, USB2.0
Utilities	SmartDeviceMonitor, Web Image Monitor, WebSmartDeviceMonitor, DeskTopBinder V2 Lite/Pro
Scanner Specifications	
Scanning Speeds	42 spm @ 200 dpi Black & White 13 spm @ 200 dpi Full Color
Scanning Resolutions	100 dpi – 600 dpi (Scan to Email/Folder) 100 dpi – 600 dpi (TWAIN Color) 100 dpi – 1200 dpi (TWAIN Black & White)

*Speed varies by page coverage

Facsimile Specifications (Optional)	
Modem Speed	33.6 Kbps
Transmission Speed	G3: 3 seconds per page (MMR Compression) G3: 2 seconds per page (JBIG Compression)
Memory	4 MB (approximately 320 pages)**
Auto Dials	150 Numbers, including 32 Quick Dials
Group Dials	10 Groups (100 numbers per Group)
Additional Modes Supported	Internet Fax (T.37), IP-Fax (T.38), LAN-Fax

**Based on ITU-Test Chart #1 in standard mode