

FOR IMMEDIATE RELEASE

CONTACT: Russell Marchetta
Gestetner
(973) 882-2075
russell.marchetta@ricoh-usa.com

Josh Green
Bratskeir & Company
(212) 679-2233
jgreen@bratskeir.com

GESTETNER LAUNCHES POWERFUL HIGH-SPEED NETWORK PRINTER

*Gestetner P7675 Black and White Laser Printer Helps Users Perform Under Pressure,
Keep Pace with High-Priority Demands*

West Caldwell, NJ, September 19, 2006 – Gestetner, a leading provider of digital office equipment, today launched the Gestetner P7675, a high-speed, black and white network printer designed to meet the most demanding printing needs. With advanced document management features, seamless network connectivity and multiple finishing options, the Gestetner P7675 provides all the tools necessary to maximize productivity and deliver professional-looking documents under pressure.

Placing an emphasis on speed and efficiency, the Gestetner P7675 prints up to 75 pages per minute (ppm) with a first time print speed of 5.5 seconds or less. Further expediting output, the P7675 has multiple paper trays and a maximum capacity of 8,200 sheets, ensuring uninterrupted printing and exceptional timesaving.

The Gestetner P7675 also offers several networking features that streamline workflow and simplify projects. PDF Direct Print sends files directly to the printer in PDF format, greatly reducing traffic on the network. The WebImageMonitor feature allows the user to configure printer settings, check job status and select finishing options remotely via any standard Web browser. In addition, the Gestetner P7675 is equipped with Gestetner's Refined Print Command Stream (RCPS) driver. RCPS enables customers to store regularly applied print settings to the system, save them under individual user icons and initiate print jobs at anytime from their desktop.

“When the pressure’s on, businesses demand more from their printers. And that’s when the Gestetner P7675 is at its best,” said Ron Potesky, vice president of product marketing. “With a multitude of advanced capabilities and network solutions, The Gestetner P7675 facilitates efficient document management for the most demanding printing environments.”

To help organizations protect private information, the Gestetner P7675 is equipped with several security functions. The Locked Print feature requires a password to be entered at the machine prior to printing, preventing sensitive materials from being left in output trays. For restricted documents, users can embed a watermarked message or design in order to avoid unauthorized copying. Moreover, all information traveling through the network is encrypted, which ensures it remains secure while being sent to the printer.

The Gestetner P7675 is available at the suggested retail price of \$19,900.

For further information, please visit www.gestetnerusa.com.

About Gestetner

Gestetner's broad line of award winning network-ready digital output systems – including full color and black-and-white digital imaging systems, color and black-and-white network laser printers, and fax machines – delivers document output solutions for businesses of all sizes. A nationwide network of dealers markets Gestetner document management systems. Gestetner is a brand of West Caldwell, NJ-based Ricoh Corporation. For more information, visit www.gestetnerusa.com.

#

Gestetner P7675 Specifications

Configuration	Console-type attached base unit
Technology	Twin Laser Beam Scanning & Electro-photographic Printing with Dry, Dual Component toner
Print Speed / Duplex Speed	75 pages per minute B&W
First Print Speed	5.5 seconds or less
Resolution	1200 x 1200/600 x 600/300 x 300
Dimensions (wxdxh)	27.1" x 31.1" x 39.5" (without finisher and call-light)
Weight	414.4 lbs (without toner and finisher)
Warm-up Time	300 seconds or less
Power Source	120V/60Hz/20A
Power Consumption	1850W or less
Standard Paper Capacity	4,200 sheets
Optional Paper Capacity	4,000 sheets
Acceptable Paper Sizes	Standard paper trays: Tray 1: 8.5" x 11" (A4) Tray 2 & 3 standard sizes: 5.5" x 8.5", 8.5" x 11", 7.25" x 10.5", 8" x 10.5", 8" x 13", 8.5" x 14", and 11" x 17" Tray 2 & 3 Custom sizes: 5.5" x 5.5" to 11.69" x 17"
Acceptable Paper Weight	16 lb Bond – 34 lb Bond (52-128g/m ²)
Automatic Duplexing	Standard
Duplex Paper Weight	17 lb Bond – 34 lb Bond (64-128g/m ²)

Controller Specifications	
CPU	866 MHz
System Memory	256 MB
Printer Languages	PCL 5e/6 emulation, RCPS, Adobe [®] PostScript [®] 3, PDF
Drivers/Operating System	Windows95/98SE/NT4.0/2000/Me/XP/Server 2003 Netware 3.12, 3.2, 4.1, 4.11, 5.0, 5.1, 6 Unix (using Ricoh UNIX filter) Linux RedHat Linux 6.x, 7.x, 8.x, 9, and Enterprise Mac OS 8.6-9.2x, OS X 10.1 or later
Network Protocols	TCP/IP, IPX/SPX, AppleTalk
Standard Interfaces	USB 2.0, 100Base-TX/10Base-T Ethernet
Utilities	SmartDeviceMonitor for Admin, Printer Utility for Mac, DeskTopBinder Lite, Font Manager 2000 Optional: DeskTopBinder Professional